



Supported by:
Federal Ministry for the
Environment, Nature Conservation,
Building and Nuclear Safety
based on a decision of the German Bundestag



ދަރުޅި ދަނޑު ދަނޑު ދަނޑު ދަނޑު ދަނޑު ދަނޑު ދަނޑު



ދަނޑު ދަނޑު ދަނޑު ދަނޑު ދަނޑު ދަނޑު ދަނޑު ދަނޑު ދަނޑު ދަނޑު

תורה ודבר השכלה ודבר

הנהגה ודבר
השכלה ודבר
הנהגה ודבר
השכלה ודבר
2023

הנהגה ודבר
השכלה ודבר
הנהגה ודבר
השכלה ודבר

٢٠٠٠

- 1 $\frac{1}{2}$
- 3 $\frac{1}{2}$
- 5 $\frac{1}{2}$
- 7 $\frac{1}{2}$
- 7 $\frac{1}{2}$
- 8 $\frac{1}{2}$
- 9 $\frac{1}{2}$
- 10 $\frac{1}{2}$
- 11 $\frac{1}{2}$
- 12 $\frac{1}{2}$
- 13 $\frac{1}{2}$
- 14 $\frac{1}{2}$
- 16 $\frac{1}{2}$
- 18 $\frac{1}{2}$
- 19 $\frac{1}{2}$
- 20 $\frac{1}{2}$
- 22 $\frac{1}{2}$
- 23 $\frac{1}{2}$
- 24 $\frac{1}{2}$
- 25 $\frac{1}{2}$

۷۷۸۱

[illegible][illegible][illegible]

דגים

דגים רבים מצויים באזורי הים התיכון, ובהם דגים שונים מאוד בגודלם ובצורתם. דגים רבים מהם ניזונים מפיגמנטים, ויש להם יכולת להסתגל לשינויים במצבי הסביבה. דגים רבים מהם ניזונים מפיגמנטים, ויש להם יכולת להסתגל לשינויים במצבי הסביבה. דגים רבים מהם ניזונים מפיגמנטים, ויש להם יכולת להסתגל לשינויים במצבי הסביבה.



דג דג סרס: דג סרס: Shorthead Anchovy

Encrasicholina heterobola

هذا النوع من الأسماك يتميز بـ
 اللون البرتقالي المائل إلى الأحمر،
 وله شكل جسم ممدود،
 وذو زعنفة كبيرة،
 وله عيون كبيرة،
 وله فم كبير،
 وله خياشيم كبيرة،
 وله جوفاء كبيرة،
 وله بويضات كبيرة،
 وله صغار كبيرة،
 وله حياة طويلة،
 وله قدرة على التكيف،
 وله قدرة على التحمل،
 وله قدرة على البقاء،
 وله قدرة على التكاثر،
 وله قدرة على النمو،
 وله قدرة على التغيير،
 وله قدرة على التعلم،
 وله قدرة على التفكير،
 وله قدرة على الشعور،
 وله قدرة على الحب،
 وله قدرة على العشق،
 وله قدرة على الحياة،
 وله قدرة على الموت.



Cardinal Fish : أسماك كاردينال


Apogonidae (fam) : فصيلة أسماك كاردينال

A detailed illustration of a Red Snapper (Lutjanus campechanus) fish, shown in profile facing left. The fish has a reddish-brown body with a lighter, almost white, stripe running horizontally along the side. The scales are finely detailed with a cross-hatched pattern. The head features a large, prominent eye with a dark pupil and a lighter, orange-brown iris. The mouth is slightly open, showing a small, dark, fleshy protrusion. The dorsal fin is long and extends from the back of the head to the tail. The pectoral fin is located just behind the head. The pelvic fin is visible on the underside. The anal fin is located on the side of the body, just before the tail. The tail is deeply forked and has a dark, almost black, tip. The overall color is a vibrant reddish-pink.

Ceasionidae (fam) سَمَرِ سَمَرِ وَرْدِ سَمَرِ

اسرڊڊاسر ڪاسرڊاسر ارڊي ڙڙس

ڪمرڙي ڦرسي ڏسڻوڪرڙي ارڊي اسرڊاسر ڙڙ ارڊي ڪوڪوڪو، ار ڪوڪوڪو
 ارسرڪر اڪر سڪرڪوڪو سڪر:

ڪمڙس	سڪرڪوڪو سڪر	اوسرڪر سڪر	ڦرڦرڪر
	<i>Spratelloides gracilis</i>	Silver sprat	ڪر
	<i>Spratelloides delicatulus</i>	Blue sprat	ڦرڪر
	Apogonidae (fam)	Cardinal fish	ڪوڪر
	<i>Encrasicholina heteroloba</i>	Shorthead Anchovy	ڊرڪر
	Ceasionidae (fam)	Fusilliers	ڙڙڪر

1. $\frac{x^2 + 1}{x^2 - 1} = \frac{x^2 + 1}{(x - 1)(x + 1)}$ - $\frac{0}{0}$ - $\frac{0}{0}$


[illegible][illegible][illegible][illegible][illegible][illegible]




$\frac{0}{\sqrt{2}} \frac{\pi}{2} \frac{x}{\sqrt{2}} \quad \frac{0}{\sqrt{2}} \frac{\pi}{2} \quad \frac{\pi}{2} \frac{\pi}{2} \quad \frac{\pi}{2} \frac{\pi}{2} \frac{x}{\sqrt{2}}$. 2


[illegible]

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99



[illegible]

०३०६६ ०६०१ १५५६३१ .३

[illegible]

یہ تصویر ایک مچھلیوں کے ڈبے کا ایک تقاطعی خاکہ ہے جس میں پانی کی گردش کا نظام دکھایا گیا ہے۔ ڈبے کے اوپر سے پانی ڈبے کے اندر آتا ہے (جس کا اشارہ سفید تیرتی لہریں کرتی ہیں)۔ پانی ڈبے کے اندر سے ایک لیمپ کے ذریعے پائپ کے ذریعے ڈبے کے بائیں جانب کے فیلٹر کے ذریعے خارج ہوتا ہے۔ فیلٹر کے ذریعے پانی دوبارہ ڈبے میں گرتا ہے۔ اس نظام کو پمپ کا نام دیا جاتا ہے۔

یہ ڈیٹا اسکرین کے اوپر دیے گئے ہیں:

پمپ کا نام: پمپ

فیلٹر کا نام: فیلٹر

پانی کی گردش: پانی ڈبے سے فیلٹر کے ذریعے خارج ہوتا ہے اور دوبارہ ڈبے میں گرتا ہے۔



6. $\frac{1}{2} \times \frac{3}{4} = \frac{1 \times 3}{2 \times 4} = \frac{3}{8}$

[illegible]





1

فروشگاه ماهی / ماهی / ماهی / ماهی / ماهی



2

ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی




3

ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی



4

ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی




5

ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی



6

ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی / ماهی





IPNLF works to develop, support and promote one-by-one tuna fisheries is subsequently fully aligned with the UN 2030 Agenda for Sustainable Development and the Sustainable Development Goals. We believe effective and equitable global governance is essential to protect and restore the ocean, and this should be achieved by ensuring the participation of local and coastal communities in decision-making processes.



The Small Grants Programme (SGP) is a corporate programme of the Global Environment Facility (GEF) implemented by the United Nations Development Programme (UNDP) since 1992. SGP grantmaking in over 125 countries promotes community-based innovation, capacity development, and empowerment through sustainable development projects of local civil society organizations with special consideration for indigenous peoples, women, and youth. SGP has supported over 20,000 community-based projects in biodiversity conservation, climate change mitigation and adaptation, prevention of land degradation, protection of international waters, and reduction of the impact of chemicals, while generating sustainable livelihoods.

Supported by:



Federal Ministry for the
Environment, Nature Conservation,
Building and Nuclear Safety

based on a decision of the German Bundestag

The Global Support Initiative to Indigenous Peoples and Community-Conserved Territories and Areas (ICCA-GSI) is funded by the Government of Germany, through its Federal Ministry for the Environment, Nature Conservation and Nuclear Safety (BMU), implemented by the United Nations Development Programme (UNDP) and delivered by the GEF Small Grants Programme (SGP). Key partners include the Secretariat of the Convention of Biological Diversity (CBD), the ICCA Consortium, the International Union for the Conservation of Nature's Global Programme on Protected Areas (IUCNPGAP) and the United Nations Environment Programme's World Conservation Monitoring Centre (UNEP WCMC).



